



Maryland
Department of
the Environment

Larry Hogan
Governor

Boyd Rutherford
Lieutenant Governor

Ben Grumbles
Secretary

November 18, 2016

David M. Glessner
GEOCHEMICAL TESTING
2005 N. Center Avenue
Somerset PA 15501

**RE: CURRENT MARYLAND WATER QUALITY CERTIFICATE
GEOCHEMICAL TESTING 226**

Dear Mr. Glessner:

Enclosed please find your certificate of reciprocity for drinking water laboratory certification in the State of Maryland. The reciprocity is valid for a period of one (1) year. The certificate and fees are renewable annually.

If you have any changes in methods, supervisory personnel, major equipment, ownership, location, or your home state certification status, during the year, you are required to advise this office within 30 days.

If you have any questions, please do not hesitate to call me at 410-537-3712.

Sincerely,

A handwritten signature in blue ink that reads "Linda Ames".

Linda Ames
Laboratory Certification Officer
Water Supply Program

Enclosure (certificate)



DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

Geochemical Testing

2005 North Center Avenue, Somerset, PA 15501

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

to perform the analyses indicated on the Annual Certified Parameter List, which must accompany this certificate.

MD Lab ID # 226

Date Issued November 18, 2016

Expiration Date December 31, 2017
(Not Transferable)


Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE01316



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issue Date: November 18, 2016

Expiration Date: December 31, 2017

Geochemical Testing
2005 N. Center Avenue
Somerset, PA 15501

Timothy W. Bergstresser
MD Lab ID # 226
EPA ID # PA00124

<i>ANALYTE</i>	<i>METHOD</i>	<i>STATUS</i>
1,1,1-Trichloroethane	EPA 524.2, Rev. 4.1	Certified
1,1,2-Trichloroethane	EPA 524.2, Rev. 4.1	Certified
1,1-Dichloroethylene	EPA 524.2, Rev. 4.1	Certified
1,2,4-Trichlorobenzene	EPA 524.2, Rev. 4.1	Certified
1,2-Dichlorobenzene	EPA 524.2, Rev. 4.1	Certified
1,2-Dichloroethane	EPA 524.2, Rev. 4.1	Certified
1,2-Dichloropropane	EPA 524.2, Rev. 4.1	Certified
1,4-Dichlorobenzene	EPA 524.2, Rev. 4.1	Certified
Antimony	EPA 200.8, Rev. 5.4	Certified
Arsenic	EPA 200.8, Rev. 5.4	Certified
Barium	EPA 200.7, Rev. 4.4	Certified
Barium	EPA 200.8, Rev. 5.4	Certified
Benzene	EPA 524.2, Rev. 4.1	Certified
Beryllium	EPA 200.7, Rev. 4.4	Certified
Beryllium	EPA 200.8, Rev. 5.4	Certified
Bromodichloromethane	EPA 524.2, Rev. 4.1	Certified
Bromoform	EPA 524.2, Rev. 4.1	Certified
Cadmium	EPA 200.7, Rev. 4.4	Certified
Cadmium	EPA 200.8, Rev. 5.4	Certified
Carbon Tetrachloride	EPA 524.2, Rev. 4.1	Certified
Chlorobenzene	EPA 524.2, Rev. 4.1	Certified
Chlorodibromomethane	EPA 524.2, Rev. 4.1	Certified
Chloroform	EPA 524.2, Rev. 4.1	Certified
Chromium	EPA 200.7, Rev. 4.4	Certified
Chromium	EPA 200.8, Rev. 5.4	Certified



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issue Date: November 18, 2016

Expiration Date: December 31, 2017

Geochemical Testing
2005 N. Center Avenue
Somerset, PA 15501

Timothy W. Bergstresser
MD Lab ID # 226
EPA ID # PA00124

<i>ANALYTE</i>	<i>METHOD</i>	<i>STATUS</i>
cis-1,2-Dichloroethene	EPA 524.2, Rev. 4.1	Certified
Copper	EPA 200.7, Rev. 4.4	Certified
Copper	EPA 200.8, Rev. 5.4	Certified
Dichloromethane	EPA 524.2, Rev. 4.1	Certified
E. coli	SM 9223 Colilert, 22 nd ed.	Certified
Ethylbenzene	EPA 524.2, Rev. 4.1	Certified
Fluoride	EPA 300.0, Rev. 2.1	Certified
Lead	EPA 200.8, Rev. 5.4	Certified
Mercury	SM 3112 B, 21 st ed.	Certified
Nitrate	EPA 300.0, Rev. 2.1	Certified
Nitrite	EPA 300.0, Rev. 2.1	Certified
Nitrite	SM 4500 NO ₂ ⁻ B, 20 th ed.	Certified
Selenium	EPA 200.8, Rev. 5.4	Certified
Styrene	EPA 524.2, Rev. 4.1	Certified
Tetrachloroethylene	EPA 524.2, Rev. 4.1	Certified
Thallium	EPA 200.8, Rev. 5.4	Certified
Toluene	EPA 524.2, Rev. 4.1	Certified
Total Coliforms	SM 9223 Colilert, 22 nd ed.	Certified
Total Trihalomethanes	EPA 524.2, Rev. 4.1	Certified
trans-1,2-Dichloroethene	EPA 524.2, Rev. 4.1	Certified
Trichloroethylene	EPA 524.2, Rev. 4.1	Certified
Vinyl Chloride	EPA 524.2, Rev. 4.1	Certified
(total) Xylenes	EPA 524.2, Rev. 4.1	Certified